

Amendments to the Claims

Please AMEND claims 1, 9, 22, 30, 37, 38, 40, and 41 as follows. For the Examiner's convenience, all claims currently pending have been reproduced below.

1. (Currently Amended) A method of storing data, said method comprising the steps of:
storing data, as one or more data samples, in [[a]] one or more media file files configured for use by a media player application in playing the data samples; and
storing, in an index file associated with one or more of the media file files, at least an offset value for each of the data samples representing a location of each of the data samples in a corresponding one of the media file files, ~~wherein~~ each of the media file files further ~~comprises~~ comprising additional information interspersed throughout ~~the~~ that media file, ~~wherein~~ the additional information ~~comprises~~ comprising at least a timestamp for ~~each~~ one or more of the data samples, each of the timestamps indicating a capture time of an associated data sample, ~~wherein~~ the additional information of the media file ~~is~~ files being used in reconstructing the index file upon corruption of the index file, the ~~reconstructive~~ reconstructed index file comprising the offset values representing the locations of each of the data samples in the media file files, wherein the reconstructed index file replaces the index file associated with the one or more media files.
2. (Previously Presented) A method according to claim 1, wherein the additional information is used exclusively for reconstruction of the index file.

3-6. (Canceled)

7. (Previously Presented) A method according to claim 1, wherein the additional information comprises a resolution of an associated sample.

8. (Previously Presented) A method according to claim 1, wherein the information of the index file comprises frame rate variation information.

9. (Currently Amended) A method according to claim 1, wherein the additional information is stored as one or more dedicated samples of the media ~~file~~ files.

10. (Previously Presented) A method according to claim 1, wherein the media file is configured in accordance with the MicrosoftTM AVITM file format.

11. (Previously Presented) A method according to claim 1, wherein the index file is configured in accordance with the AppleTM QuickTimeTM file format.

12. (Previously Presented) A method according to claim 1, wherein the data is video data.

13. (Previously Presented) A method according to claim 1, wherein the data is text data.

14. (Previously Presented) A method according to claim 1, wherein the data is video data and associated text data.

15. (Previously Presented) A method according to claim 14, wherein the video and associated text data are captured for security purposes.
16. (Original) A method according to claim 12, wherein each video sample is a separate JPEG file.
17. (Previously Presented) A method according to claim 13, wherein a plurality of copies of a corresponding text string are included in each text sample of the media file.
18. (Previously Presented) A method according to claim 17, wherein a first copy of the text string is configured in accordance with the AVITM file format.
19. (Previously Presented) A method according to claim 17, wherein a second copy of the text string is configured in accordance with the QuickTimeTM file format.
20. (Previously Presented) A method according to claim 1, further comprising the step of inserting one or more empty samples into the media file to compensate for any missed samples.
21. (Previously Presented) A method according to claim 1, wherein the index file contains a track referencing at least the media file.

22. (Currently Amended) A method of storing video and associated text data, said method comprising the steps of:

storing the video and associated text data, as one or more data samples, in ~~[[a]]~~ one or more media file files in accordance with a first file format, each ~~the~~ media file being configured for use by a media player application in playing the video data;

storing, in an index file in accordance with a second file format, at least an offset value for each of the data samples representing a location of each of the one or more data samples in a corresponding one of the media file files; and

adding additional information interspersed throughout each of the media file files, the media file ~~files~~ including the additional information being readable by the media player application corresponding at least to the first file format, the additional information comprising at least a timestamp for one or more of the data samples, each of the timestamps indicating a capture time of an associated data sample, ~~wherein~~ the additional information of the media ~~file~~ is files being used in reconstructing the index file upon corruption of the index file, the reconstructed index file comprising the offset values representing the locations of each of the data samples in the media file files, wherein the reconstructed index file replaces the index file associated with the media files.

23. (Previously Presented) A method according to claim 22, wherein the additional information is used exclusively for reconstruction of the index file.

24-27. (Canceled)

28. (Previously Presented) A method according to claim 22, wherein the additional information comprises a resolution of an associated sample.
29. (Previously Presented) A method according to claim 22, wherein the information of the index file comprises frame rate variation information.
30. (Currently Amended) A method according to claim 22, wherein the additional information is stored as a dedicated sample of the media ~~file~~ files.
31. (Previously Presented) A method according to claim 22, wherein the first file format is the MicrosoftTM AVITM file format.
32. (Previously Presented) A method according to claim 22, wherein the second file format is the AppleTM QuickTimeTM file format.
33. (Previously Presented) A method according to claim 22, wherein the video and associated text data is captured for security purposes.
- 34-36. (Canceled)

37. (Currently Amended) An apparatus for storing data, said apparatus comprising:

media file generation means for storing data, as one or more data samples, in [[a]] one or more media file files configured for use by a media player application in playing the data samples; and

index file generation means for storing, in an index file associated with one or more of the media file files, at least an offset value for each of the data samples representing a location of each of the data samples in a corresponding one of the media file files, ~~wherein~~ each of the media file files further comprises comprising additional information interspersed throughout ~~the~~ that media file, ~~wherein~~ the additional information ~~comprises comprising~~ at least a timestamp for one or more of the data samples, each of the timestamps indicating a capture time of an associated data sample, ~~wherein~~ the additional information of the media ~~file is~~ files being used in reconstructing the index file upon corruption of the index file, the reconstructed index file comprising the offset values representing the locations of each of the data samples in the media ~~file files~~, wherein the reconstructed index file replaces the index file associated with the one or more media files.

38. (Currently Amended) An apparatus for storing video and associated text data, said apparatus comprising:

media file generation means for storing the video and associated text data, as one or more data samples, in [[a]] one or more media file files in accordance with a first file format, each the media file being configured for use by a media player application in playing the video data;

index file generation means for storing in an index file in accordance with a second file format, at least an offset value for each of the data samples representing a location of each of the one or more data samples in a corresponding one of the media file files; and

image information adding means for adding additional information interspersed throughout each of the media file files, the media file files comprising the additional information being readable by the media player application corresponding at least to the first file format, the additional information comprising ~~comprises~~ at least a timestamp for one or more of the data samples, each of the timestamps indicating a capture time of an associated data sample, ~~wherein~~ the additional information of the media ~~file is~~ files being used in reconstructing the index file upon corruption of the index file, the reconstructed index file comprising the offset values representing the locations of each of the data samples in the media ~~file~~ files, wherein the reconstructed index file replaces the index file associated with the media files.

39. (Canceled)

40. (Currently Amended) A computer program product comprising a computer readable medium having recorded thereon a computer program for storing data, said program comprising:

code for storing data, as one or more data samples, in ~~[[a]]~~ one or more media file files configured for use by a media player application in playing the data samples; and

code for storing, in an index file associated with one or more of the media file files, at least an offset value for each of the data samples representing a location of each of the data samples in a corresponding one of the media file files, ~~wherein each of the media file files further comprises~~ comprising additional information interspersed throughout ~~the~~ that media file, the

additional information comprising at least a timestamp for one or more of the data samples, each of the timestamps indicating a capture time of an associated data sample, ~~wherein~~ the additional information of the media ~~file~~ is files being used in reconstructing the index file upon corruption of the index file, the reconstructive index file comprising the offset values representing the locations of each of the data samples in the media ~~file~~ files, wherein the reconstructed index file replaces the index file associated with the one or more media files.

41. (Currently Amended) A computer program product comprising a computer readable medium having recorded thereon a computer program for storing video and associated text data, said program comprising:

code for storing the video and associated text data, as one or more data samples, in ~~[[a]]~~ one or more media file files in accordance with a first file format, ~~each the~~ each media file being configured for use by a media player application in playing the video data;

code for storing, in an index file in accordance with a second file format, at least an offset value for each of the data samples representing a location each of the one or more data samples in a corresponding one of the media file files; and

code for adding additional information interspersed throughout each of the media file files, the media ~~file~~ files including the additional information being readable by the media player application corresponding at least to the first file format, the additional information comprising at least a timestamp for one or more of the data samples, each of the timestamps indicating a capture time of an associated data sample, ~~wherein~~ the additional information of the media ~~file~~ is files being used in reconstructing the index file upon corruption of the index file, the reconstructed index file comprising the offset values representing the locations of each of the

data samples in the media ~~file~~ files, wherein the reconstructed index file replaces the index file
associated with the media files.

42. (Canceled)